

Product: British Standard Pressed Flags

| Chamfered Flags | No. Per Pack | No. Per Tonne | Natural | Buff | Red |
|---------------------------------------|--------------|---------------|---------|-------|-------|
| 450x450x38mm [5mm 45°] | 64 | 56 | E38 | E38Y | E38R |
| 450x450x50mm [5mm 45°] | 50 | 44 | E50 | E50Y | - |
| 450x450x70mm [5mm 45°] | 36 | 30 | E70 | - | - |
| 400x400x50mm [5mm 45°] | 50 | 53 | F50 | F50Y | - |
| 400x400x65mm [5mm 45°] | 36 | 42 | F65 | F65Y | F65R |
| 300x300x60mm [5mm 45°] | 40 | 78 | G60 | - | - |
| Light Duty Flags | | | | | |
| 600x600x38mm | 32 | 32 | B38 | B38Y | B38R |
| 450x600x38mm | 64 | 42 | A38 | - | - |
| 300x600x38mm | 64 | 63 | H38 | H38Y | H38R |
| Standard/Commercial Duty Flags | | | | | |
| 900x600x50mm | 25 | 16 | D50 | D50Y | D50R |
| 900x300x50mm | 25 | 32 | D300 | D300Y | - |
| 750x600x50mm | 25 | 19 | C50 | C50Y | - |
| 600x600x50mm | 25 | 24 | B50 | B50Y | B50R |
| 450x600x50mm | 50 | 33 | A50 | - | - |
| 450x450x50mm | 50 | 44 | E50S | E50SY | E50SR |
| 300x600x50mm | 50 | 49 | H50 | H50Y | H50R |
| 300x300x50mm | 50 | 98 | G50 | G50Y | - |

Made4U®

Our bespoke product service, not always held in stock but these special sizes, colours and finishes can be *Made4U®*

Product: British Standard Pressed Flags

Tactile Flags

No. Per Pack

No. Per Tonne

Natural

Buff

Red



Guidance Path



Barfaced Surface



Cycle Track/Footway



Blister Surface



Platform Edge
(off street)



Corduroy Hazard
Warning



Platform Edge
(on street)



Checker

| | | | | | |
|----------------------------------|----|----|--------|--------|--------|
| 600x600x38mm Barfaced | 32 | 32 | B38BF | - | - |
| 900x600x50mm Barfaced | 25 | 16 | D50BF | - | - |
| 750x600x50mm Barfaced | 25 | 19 | C50BF | - | - |
| 600x600x50mm Barfaced | 25 | 24 | B50BF | B50BFY | B50BFR |
| 450x600x50mm Barfaced | 50 | 33 | A50BF | - | - |
| 450x450x50mm Tactile Blister | 44 | 43 | - | TA/EY | TA/ER |
| 400x400x65mm Tactile Blister | 34 | 40 | T65/FQ | T65/FY | T65/F |
| 400x400x50mm Tactile Blister | 44 | 53 | TA/FQ | TA/FY | TA/F |
| 400x400x50mm Corduroy Hazard | 44 | 53 | TH/FQ | TH/FY | TH/FR |
| 400x400x50mm Platform Off Street | 44 | 53 | TP/FQ | TP/FY | - |
| 400x400x50mm Platform On Street | 44 | 53 | - | TL/FY | - |
| 400x400x50mm Cycleway | 44 | 53 | TC/FQ | TC/FY | - |
| 400x400x50mm Guidance Path | 44 | 53 | TG/FQ | TG/FY | - |
| 400x400x65mm Platform On Street | 34 | 40 | - | TL65FY | - |
| 450x450x65mm Tactile Flags | 34 | 32 | - | T65/EY | T65/ER |

NEW

NEW

Made4U®

Our bespoke product service, not always held in stock but these special sizes, colours and finishes can be Made4U®

Product: British Standard Pressed Flags

| Decorative Chamfered Flags | | No. Per Pack | No. Per Tonne | Natural | Buff | Red |
|-----------------------------------|--|--------------|---------------|---------|--------|--------|
| 600x600x50mm Riven Faced [5mm 45] | | 25 | 24 | B50RF | B50RFY | - |
| 600x600x38mm Riven Faced [5mm 45] | | 32 | 32 | B38RF | B38RFY | B38RFR |
| 450x450x38mm Riven Faced [5mm 45] | | 64 | 61 | E38RF | E38RFY | E38RFR |
| 450x450x50mm Riven Faced [5mm 45] | | 50 | 46 | E50RF | E50RFY | E50RFR |



Checker

NEW
NEW
NEW
NEW

| | | | | | | |
|----------------------|--|----|----|-------|---|---|
| 400x400x35mm Checker | | 70 | 69 | FCH35 | - | - |
| 400x400x50mm Checker | | 50 | 53 | FCH50 | - | - |
| 450x450x35mm Checker | | 70 | 64 | ECH35 | - | - |
| 450x450x50mm Checker | | 50 | 43 | ECH50 | - | - |

Heavy Duty Flags

NEW

| | | | | | | |
|--------------|--|----|----|-----|------|---|
| 900x600x63mm | | 20 | 13 | D63 | - | - |
| 750x600x63mm | | 20 | 15 | C63 | - | - |
| 600x600x63mm | | 20 | 19 | B63 | B63Y | - |
| 450x600x63mm | | 40 | 25 | A63 | - | - |
| 300x600x63mm | | 40 | 38 | H63 | - | - |

Made4U®

Our bespoke product service, not always held in stock but these special sizes, colours and finishes can be Made4U®

Product: British Standard Kerbs & Edging

Half Batter Kerbs

| | No. Per Pack | No. Per Tonne | Code |
|----------------------------------|--------------|---------------|--------|
| 150x305x915mm | 16 | 10 | HB1 |
| 125x255x915mm | 20 | 15 | HB2 |
| 125x255x610mm | 20 | 23 | HB261 |
| 125x205x915mm | 20 | 19 | HB205 |
| 125x150x915mm | 20 | 26 | HB3 |
| Weir Kerb (Offlet) 125x255x915mm | 20 | 16 | HB2W |
| External Angle 305x255mm | 8 | 28 | XAHB |
| Internal Angle 305x255mm | 8 | 27 | IAHB |
| Quadrant 305x255mm | 8 | 23 | QHB305 |
| Quadrant 455x255mm | 8 | 10 | QHB455 |

Bullnosed Kerbs

NEW

| | | | |
|--------------------------|----|----|--------|
| 150x305x915mm | 16 | 10 | BN1 |
| 125x255x915mm | 20 | 14 | BN2 |
| 125x255x610mm | 20 | 22 | BN261 |
| 125x150x915mm | 20 | 24 | BN3 |
| 125x150x610mm | 20 | 36 | BN361 |
| Quadrant 305x255mm | 8 | 22 | QBN305 |
| External Angle 305x255mm | 8 | 25 | XABN |
| Internal Angle 305x255mm | 8 | 25 | IABN |
| External Angle 305x150mm | 8 | 39 | XABN3 |
| Internal Angle 305x150mm | 8 | 39 | IABN3 |

Made4U®

Our bespoke product service, not always held in stock but these special sizes, colours and finishes can be *Made4U®*

Product: British Standard Kerbs & Edging

45° Splay Kerbs

| | No. Per Pack | No. Per Tonne | Code |
|--------------------------|--------------|---------------|--------|
| NEW 150x305x915mm | 16 | 10 | SP1 |
| 125x255x915mm | 20 | 16 | SP2 |
| 125x255x610mm | 20 | 24 | SP261 |
| 125x150x915mm | 20 | 29 | SP3 |
| Weir Kerb 125x255x915mm | 20 | 17 | SP2W |
| External Angle 305x255mm | 8 | 31 | XASP |
| Internal Angle 305x255mm | 8 | 30 | IASP |
| Quadrant 305x255mm | 8 | 25 | QSP305 |

Edgings

| | | | |
|-------------------------------|----|----|--------|
| Bullnosed Edging 50x150x915mm | 50 | 62 | EBN |
| Bullnosed Edging 50x205x915mm | 50 | 46 | EBN205 |
| Bullnosed Edging 50x255x915mm | 50 | 37 | EBN255 |
| Flat Top Edging 50x150x915mm | 50 | 62 | EF |
| Flat Top Edging 50x205x915mm | 50 | 46 | EF205 |
| Flat Top Edging 50x255x915mm | 50 | 37 | EF255 |
| Chamfered Edging 50x150x915mm | 50 | 64 | EC |

Made4U

Our bespoke product service, not always held in stock but these special sizes, colours and finishes can be *Made4U*

Product: British Standard Kerbs & Edging

Chamfered Kerbs

| | No. Per Pack | No. Per Tonne | Code |
|---------------|--------------|---------------|------|
| 125x175x915mm | 20 | 21 | C175 |

Channels

| | | | |
|-----------------------------------|----|----|--------|
| Channel Square 255x125x915mm | 20 | 14 | CS1255 |
| Channel Square 150x150x915mm | 20 | 20 | CSS150 |
| Channel Square 150x125x915mm | 20 | 24 | CS2150 |
| Channel 50mm Dished 305x150x915mm | 20 | 12 | CD3305 |
| Channel 25mm Dished 255x125x915mm | 20 | 16 | CD1255 |
| Channel 12mm Dished 150x125x915mm | 20 | 25 | CD2150 |
| Channel Fluted 255x75x915mm | 30 | 24 | CF |

NEW

Droppers/Transitions

| | | | | |
|-------------------------------------|---------|----|----|--------|
| Dropper Half Batter L/H | HB2/BN3 | 20 | 18 | DL1 |
| Dropper Half Batter R/H | BN3/HB2 | 20 | 18 | DR1 |
| Dropper Full Batter L/H | SP2/BN3 | 20 | 19 | DL2 |
| Dropper Full Batter R/H | BN3/SP2 | 20 | 19 | DR2 |
| Dropper Bullnosed L/H | BN2/BN3 | 20 | 18 | DL3 |
| Dropper Bullnosed R/H | BN3/BN2 | 20 | 18 | DR3 |
| Transition Half Batter / Splay | HB2/SP2 | 20 | 16 | TL |
| Transition Splay / Half Batter | SP2/HB2 | 20 | 16 | TR |
| Transition Half Batter to Bullnosed | HB2/BN2 | 20 | 15 | HB2BN2 |
| Transition Bullnosed to Half Batter | BN2/HB2 | 20 | 15 | BN2HB2 |

Made4U®

Our bespoke product service, not always held in stock but these special sizes, colours and finishes can be *Made4U®*

Product: British Standard Kerbs & Edging

Packed 18


| Radius Kerb | HB2 Ext | No per Circle | HB2 Int | No per Circle | SP2 Ext | No per Circle | BN2 Ext | No per Circle | BN3 Ext | No per Circle | BN3 Int | No per Circle | DL1 Ext | No per Circle | DR1 Ext | No per Circle |
|-------------|------------|------------------|------------|------------------|------------|------------------|------------|------------------|------------|------------------|------------|------------------|------------|------------------|------------|------------------|
| 12.0m | X12 | 94 | i12 | 84 | X12 | 94 | X12 | 94 | X12 | ?? | i12 | 94 | X12 | - | X12 | - |
| 10.5m | X105 | 82 | i105 | 74 | X105 | 82 | X105 | 82 | X105 | 74 | i105 | 82 | X105 | - | X105 | - |
| 10.0m | X10 | 78 | i10 | 70 | X10 | 78 | X10 | 78 | X10 | 70 | i10 | 78 | X10 | - | X10 | - |
| 9.0m | X9 | 70 | i9 | 64 | X9 | 70 | X9 | 70 | X9 | 62 | i9 | 70 | - | - | - | - |
| 8.0m | X8 | 62 | i8 | 56 | X8 | 62 | X8 | 62 | X8 | 56 | i8 | 62 | X8 | - | X8 | - |
| 7.5m | X75 | 58 | i75 | 54 | X75 | 58 | X75 | 58 | X75 | 52 | i75 | 58 | X75 | - | X75 | - |
| 6.0m | X6 | 46 | i6 | 42 | X6 | 46 | X6 | 46 | X6 | 42 | i6 | 46 | X6 | - | X6 | - |
| 5.0m | X5 | 40 | i5 | 40 | X5 | 40 | X5 | 40 | X5 | 34 | i5 | 40 | - | - | - | - |
| 4.5m | X45 | 36 | i45 | 36 | X45 | 36 | X45 | 36 | X45 | 32 | i45 | 36 | X45 | - | X45 | - |
| 4.0m | X4 | 32 | i4 | 32 | X4 | 32 | X4 | 32 | X4 | 28 | i4 | 32 | X4 | - | X4 | - |
| 3.0m | X3 | 24 | i3 | 24 | X3 | 24 | - | - | X3 | 24 | i3 | 24 | X3 | - | X3 | - |
| 2.0m | X2 | 18 | - | - | X2 | 18 | X2 | 17 | X2 | 16 | - | - | - | - | - | - |
| 1.0m | X1 | 12 | i1 | 12 | X1 | 12 | - | - | - | - | - | - | - | - | - | - |

Radius Kerb lengths range from 525mm to 920mm



Our bespoke product service, not always held in stock but these special sizes, colours and finishes can be *Made4U*

Product: British Standard Kerbs & Edging



**Radius Kerb
Illustration**